



## PAKISTAN SPORTS BOARD

Srinagar Highway, Aabpara, Islamabad

21<sup>st</sup> April, 2025

Subject: **SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF ELECTRONIC DISPLAY & SCORING SYSTEM AT DIFFERENT FACILITIES OF PAKISTAN SPORTS COMPLEX, ISLAMABAD**

SH: Pre-Bid Meeting

Please find enclosed herewith minutes of the Pre-Bid Meeting held on meeting (in-person) in committee room of Pakistan Sports Board, Islamabad on 16<sup>th</sup> April 2025 at 1400 hours for uploading the same of the website of Pakistan Sports Board for general information.

Encl: As above

  
**(Hazoor Bakhsh)**  
Executive Engineer (Civil)

**Mr. Bilal Ahmad Khan**, Assistant Director (IT),  
Pakistan Sports Board, Islamabad

Copy for information to: PA to the Director General, PSB, Islamabad

## MINUTES OF PRE-BID MEETING AGAINST THE FOLLOWING TENDERS


- I. **Supply, Installation, Testing and Commissioning of Electronic Display and Scoring System at Different Facilities of Pakistan Sports Complex, Islamabad**
- II. **Supply, Installation, Testing and Commissioning of Electronic Timing Devices in The Premises of Pakistan Sports Complex, Islamabad**
- III. **Supply, Installation, Testing and Commissioning of Sound Amplification System At Different Facilities Electronic of Pakistan Sports Complex, Islamabad**
- IV. **Supply, Installation, Testing and Commissioning of Diesel Generating Sets at Different Facilities of Pakistan Sports Complex, Islamabad**

- 1) The Pre-bid meeting (in-person) in committee room of PSB, Islamabad was held on 16<sup>th</sup> April 2025 at its scheduled time i.e. at 02.00 hrs. chaired by the Executive Engineer (Civil) PSB, along with Procurement Committee members and Consultant of the Project.
- 2) 12(twelve) representatives from following 11 (eleven) prospective bidding companies participated in the Pre-bid meeting:-
  - i. M/s M. Saddique Ch. & Co, Lahore
  - ii. M/s Mansha Brothers
  - iii. M/s Swallow International, Peshawar
  - iv. M/s Jan Alam & Co, Rawalpindi
  - v. M/s Mecatech (Pvt) Limited,
  - vi. M/s SM Jaffers
  - vii. M/s KAM Traders (Pvt) Limited, Islamabad
  - viii. M/s Sachal Traders, Islamabad
  - ix. M/s Unique Builders, Islamabad
  - x. M/s Dir Sheringal Construction, Upper Dir
  - xi. M/s Ishfaq Ahmed Rana
- 3) Queries raised by the representatives of above 11 companies and their responses provided by the Committee members during the meeting, along with the queries received through official letters and emails up to the prescribed date and time and are as under. After the discussion on received queries/suggestions by the committee members, the Corrigendum-II has been prepared.



**HAZOOR BAKHS**  
Executive Engineer (Civil)  
Pakistan Sport Board  
Islamabad

Questions by Participants	PSB Reply
<p><b><u>SOUND SYSTEM</u></b></p> <p><i>M/s Swallow International</i></p> <p><i>M/s Mansha Brothers</i></p> <ol style="list-style-type: none"> <li><i>1. In sound amplification System tender documents, as per Appendix A, all countries are eligible, however terms &amp; conditions on page SP-4 appear to place restrictions. Kindly clarify.</i></li> <li><i>2. In sound System Tender documents, BOQ specifies the total wattage, without indicating the number of speakers/ wattages per unit. Please provide total number of speakers and wattage of each unit. Further why PEC code CE-10 is required.</i></li> </ol>	<ol style="list-style-type: none"> <li>1. Page SP-4 of special provisions shall prevail for this.</li> <li>2. Speaker wattage has been specified to keep participation open and to cater for provision of speakers from any vendor without restrictions. The required wattage shall be achieved by providing adequate No. of speakers as per site conditions and acoustic diagram to justify even sound distribution without any noise and echo. This shall be taken care of in detailed design and submittal level.</li> </ol> <p>PEC Code Ce-10 is for general civil works which are required for the said works.</p>
<p><b><u>ELECTRONIC SCORE BOARDS</u></b></p> <p><i>M/s Saddique Ch. &amp; Co.</i></p> <ol style="list-style-type: none"> <li><i>1. The list of sites shows 10 sites for installation of scoreboard &amp; control room etc. Where as in BOQ we are unable to locate the two sites, i.e; Liaqat Gymnasium, Hamidi Hall and specifications of EDW. Some pages of specifications are also missing.</i></li> <li><i>2. In all the available specs the area of the scoreboard has been mentioned but the dimensions are missing which does not show that the score board would be installed horizontally or vertically?</i></li> </ol>	<ol style="list-style-type: none"> <li>1. Missing pages uploaded on EPADS. EDW in this tender stand for External Development Works.</li> <li>2. Area is mentioned to accommodate for more participation and can be achieved with any dimensions and from any vendor. Orientation is dependent upon site conditions.</li> </ol>

  
**HAZOOR BAKHSH**  
 Executive Engineer (Civil)  
 Pakistan Sport Board  
 Islamabad

Questions by Participants	PSB Reply
<p>3. <i>The score board meant for Roshan Khan Hall has been asked for outdoor, will it be installed outside?</i></p> <p>4. <i>In Clause 2.3, Warranty, it has been asked to provide warranty for five (5) years whereas in BOQ it shows three (3) years.</i></p> <p>5. <i>Estimated cost of the project has not been provided which should be mentioned as per normal practice.</i></p> <p>6. <i>After Control room specifications the next page reflects Sr. No. 10-15 but nowhere from Sr. 1-9 were not found in the downloaded documents from PPRA site.</i></p> <p>7. <i>After Rishan Hall specifications a page consists of Sr. No. 4&amp;5 only but Sr. No. 1-3 are missing.</i></p> <p>8. <i>Financial Bank limit should be as per PPRA rules and as recommended by the Pakistan engineering Council (PEC).</i></p> <p>9. <i>The experience of the manufacturer should be reduced to ensure maximum participation.</i></p> <p>10. <i>Please arrange a meeting for the contractors to visit the sites where the scoreboards would be installed.</i></p>	<p>3. It is indoor not outdoors. The pitch specified is indicative of indoor requirements.</p> <p>4. Three (3) years as mentioned in BOQ prevails.</p> <p>5. This depends upon the type of bid / contract and the EPADS system requirements. This one is not a Priced Bid type of Contract.</p> <p>6. Missing pages of BOQ are uploaded on EPADS.</p> <p>7. Missing pages of BOQ are uploaded on EPADS.</p> <p>8. It has been retained in accordance with the PEC guidelines.</p> <p>9. It has been pronounced s per international standards and works significance.</p> <p>10. Contractors may visit the site at any time. The bid was advertised nearly 25 days ago, and the project site has been and remains accessible to all bidders who wish to visit.</p>
<p><b>M/S SACHAL TRADERS</b></p>	
<p>1. <i>Control room is mentioned in Special Provisions for the Electronic Sports Board</i></p> <p>2. <i>Colour Temperature is 10000 k which need to be reviewed. And Pixel Pitch is 8mm, this will compromise quality of picture</i></p>	<p>1. It is not Control Room, its Integrated Control Solution and relevant technical specifications and details have been mentioned.</p> <p>2. For indoor Score boards 3-5mm pixel pitch with 3000k-10000k colour temperature is required to be considered.</p>

  
**HAZOOR BAKHSH**  
 Executive Engineer (Civil)  
 Pakistan Sport Board  
 Islamabad


Questions by Participants	PSB Reply
<p>3. <i>During the meeting M/s Sachal traders representative made slanderous remarks about consultant and tried to tarnish the prestige of the department.</i></p> <p><i>M/s Swallow International</i></p> <p>1. <i>Eligibility of Countries</i></p> <p>2. <i>Missing Technical Specifications</i></p> <p>3. <i>Manufacturing Origin and Brand</i></p>	<p>3. Non Substantial and baseless allegations were taken seriously he was responded professionally to main the decorum and to continue proceedings of Pre-Bid.</p> <p>1. Follow as per provisions of Special provision PageSP3</p> <p>2. Missing pages are uploaded on Epad</p> <p>3. Samsung is a Koran brand but the company has Global manufacturing network to meet the demand of its international market, hence, its products from any international source is acceptable as per eligibility provisions provided in special provisions.</p>
<p><b><u>DG SET</u></b></p> <p><i>M/s Mecatech</i></p> <p>1. <i>Extension demanded up to April 28, 2025</i></p> <p><i>M/s Mecatech</i></p> <p><i>M/s Swallow International</i></p> <p>1. <i>Whether Equivalent brands will be considered or only brands mentioned in tender documents shall be considered?</i></p>	<p>1. Date is extended upto 23<sup>rd</sup> April.</p> <p>1. The Engine Manufacturer should own the Complete Set and assemble at their own facility.</p> <p>Any coupler company other than the brand itself whether local or international is not acceptable to</p>

  
**HAZOOR BAKHSH**  
 Executive Engineer (Civil)  
 Pakistan Sport Board  
 Islamabad

Questions by Participants	PSB Reply
<p><i>M/s Swallow International</i></p> <p><b>1. If OEM authorize a specific bidder for only a specific project, whether he will be considered or not?</b></p>	<p>participate.</p> <p>Above text shall be also be considered a part of the Schedule-I to Bid: List of Recommended Manufacturers</p> <p>Equivalent Brands are eligible to participate on the same condition with the condition of the submission of the documents for authorized representative in Pakistan for DG Set CBU.</p> <p>1. Not Acceptable</p>
<p><b><u>TIMING DEVICES</u></b></p> <p><i>M/s Jan Alam &amp; Co.</i></p> <p><b>1. Timing System BOQ specifies Job for some items while international standards and requirements call for multiple items/Jobs: e.g: Photo finish cameras</b></p> <p><b>2. Touchpad lanes are single sided or double sided.</b></p> <p><b>3. Why Clause 26.1.1 is deleted.</b></p>	<p>1. For Stadium, 3 cameras are required to be considered (Part of 1 Job) as per international standard.</p> <p>2. Double Sided</p> <p>3. The provision of financial compensation for any Extension of Time (EOT) is at the sole discretion of the Employer and is not stipulated in this Contract. This is a short-duration contract with limited funding allocated for the execution of the works. Furthermore, the scope primarily involves the supply of small quantities of equipment. In view of the upcoming SAAF Games, timely and fast-track completion of work within the defined project timeline is expected.</p>

  
**HAZOOR BAKHSH**  
 Executive Engineer (Civil)  
 Pakistan Sport Board  
 Islamabad

Questions by Participants	PSB Reply
<p>4. <i>Price Adjustment is applicable or not</i></p> <p>5. <i>BOQ mentions 'SWISS TIMING SYSTEM', is only that acceptable or the list of recommended manufacturers prevails where other manufacturers are also mentioned.</i></p> <p>6. <i>How many lanes system is to be provided.</i></p> <p>7. <i>Details of Existing software are required for integration.</i></p>	<p>4. It is a 6 months short Contract and provision of Price Adjustment is not kept in this Contract.</p> <p>5. List of recommended manufacturers is valid, there is no restriction to follow only Swiss Timing System.</p> <p>6. Minimum 08 lanes. It is mentioned in Jinnah Stadium BOQ and shall be considered the same for the Swimming Pool as well.</p> <p>7. New Electronic Score Boards to be installed (separate tender) and this Timing System shall be integrated. Software details will be shared after the Boards will be installed during execution</p>
<p><i>M/s Sachal Traders</i></p> <p>1. <i>Control room is mentioned in Special Provisions for the Timing Devices</i></p> <p>2. <i>Para (d) in Hardware Requirements in Special Provisions is Scoreboard.</i></p>	<p>1. It is not Control Room, its Integrated Control Solution.</p> <p>2. This shall be considered in terms of the integration with the scoreboard only.</p>
<p><i>M/s Siddique Ch. &amp; Co.</i></p> <p>1. <i>The swimming pool is Olympic or Competition.</i></p> <p>2. <i>FINA Swimming Pool Standard or some local governing Body regulations are also applicable.</i></p> <p>3. <i>Please confirm the Pool type (rather Skimmer Type or Over flow). Secondly, if the overflow type then Overflow channel on all sides or two sides only?</i></p> <p>4. <i>Usance of Swimming Pool for swimming only or other activities such as Diving, Synchro-swimming and water polo.</i></p> <p>5. <i>Required UV System with Ionization System.</i></p>	<p>1. International Games Standards</p> <p>2. International Games Standards</p> <p>3. Pool type (Overflow)</p> <p>4. For Swimming, Synchro swimming and water polo</p> <p>5. Ionization system is not available</p>

  
**HAZOOR BAKHSH**  
 Executive Engineer (Civil)  
 Pakistan Sport Board  
 Islamabad


Questions by Participants	PSB Reply
<p>6. <i>Do you have any dehumidifier system for the facility or not. If yes then please let us know rather you would like to connect the Swimming Pool System with dehumidifier or not.</i></p> <p>7. <i>Do you require Pumps with Star/Delta connection or Dual.</i></p> <p>8. <i>Any specific lux requirement for the pool illumination.</i></p> <p>9. <i>Pool up stand is permanent or removable.</i></p> <p>10. <i>Do you require Starting Blocks with provision of RBD (Relay Break Detection)</i></p> <p>11. <i>Do you have provisions for the Score Board &amp; Timing System for permanent installation or portable.</i></p> <p>12. <i>Racing Lane required 6" hydromatic propulsion to disperse the waves or 2.5" mini. Secondly, the color of the racing lanes rather Olympic or Competition.</i></p> <p>13. <i>What are the dimensions of the Swimming Pool.</i></p> <p><i>M/s Swallow International</i></p> <p><b>1. Eligibility of Countries</b></p> <p><b>2. Manufacturer vs BOQ Reference</b></p>	<p>6. Dehumidifier system is not available</p> <p>7. Yes</p> <p>8. Minimum Lux required are 1100</p> <p>9. Pool up stand is permanent</p> <p>10. Yes, with provision and including RBD</p> <p>11. Follow BoQ items description. However, provisions and connections for main scoreboard as well as on field scoreboard has to be provided.</p> <p>12. As per international standard</p> <p>13. Swimming Pool Dimensions are as per 50*21 Metre</p> <p>1. Follow Special provisions page no.SP4</p> <p>2. List of recommended manufacturers is valid; there is no restriction to follow only Swiss Timing System.</p>

**Further Clarifications on Timing Devices**

Both the Timing Devices shall have the following specifications

1. Multiple Sports Field/Swimming software package
2. False Start Detection Systems
3. 3 x Cameras for each timing device according to their standard international requirements/specifications
4. Dual side touch pad/systems

The Bidder shall incorporate the above-mentioned points into the Bid prices. No additional or separate payments will be entertained for these items.

  
**HAZOOR BAKHSH**  
 Executive Engineer (Civil)  
 Pakistan Sport Board  
 Islamabad

**Queries received by emails**

<b>Queries</b>	<b>PSB Response</b>
<b>M/s World Wide Vision Request for extension in bid opening time for two weeks for Sound Amplification System</b>	Date is not Extended
<b>M/s Vancott Request for extension in bid opening time</b>	Date is not Extended



**HAZOOR BAKHSH**  
Executive Engineer (Civil)  
Pakistan Sport Board  
Islamabad